



Taiwan Testing and Certification Center
Product Safety Testing Laboratory
ADDRESS: No.8, Lane 29, Wenming Rd., Guishan Dist, Taoyuan
City, 33383, Taiwan R.O.C.
TEL:03-3280026 FAX:03-3276175
<http://www.etc.org.tw>

Page: 1 of 5
Issue Date : 2021-12-29

TEST REPORT

Report No. : 21-11-VAH-013
Applicant : BriseCare B.V.
Address : Poortweg 4 A, 2612 PA Delft, The Netherlands
Commodity : Sanitizer
Model : Smini
Ratings : 5 VDC, 2 A, 8 WMAX
Quantity : 1 pcs
Date of Receipt : 2021-11-11
Date of Testing : 2021-11-18 to 2021-12-15
Date of issue : 2021-12-29
Test specification : EN 60335-2-65:2003+A1:2008+A11:2012
Test Item : Chapter 32.101&32.102
Test condition & result : See the following sheets

General remarks :

The test results presented in this report relate only to the object tested.
This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory.
Conformity statement in this report is based on the decision rules established by relevant regulations or standards, there is no need to evaluate the influence of measurement uncertainty.

Approved by :


Jimmy Lin





TEST REPORT

Report No. : 21-11-VAH-013

Page: 2 of 5

1. Test Result :

EN 60335-2-65			
Clause	Requirement – Test	Result – Remark	Verdict

32	RADIATION, TOXICITY AND SIMILAR HAZARDS		
32.101	The ozone concentration produced by air-cleaning appliances is not excessive and does not exceed 5×10^{-6} percent		P
	Highest ozone percentage measured :	Background ozone percentage measured: 0.005 ppm Highest ozone percentage measured: 0.040 ppm Ozone percentage measured: 0.035 ppm	P
32.102	Appliances do not emit radiation in hazardous amount		P
	Total irradiance measured for wavelength 200 – 280 nm	0.00000014139009 W/m ²	P
	Spectral irradiance measured	0.00000003 W/m ²	P
	Total irradiance measured for wavelength 250 – 400 nm	0.55402786 W/m ²	P


2. Utilized testing equipments:

Instrument I.D.	Equipment Name	Mfg.	Model No.
13551001-001	Ozone Analyzer	TELEDYNE	API 400E
13491503-001	Thermo-Hygro Meter	ROTRONIC	HL-NT2-DP
13512203-001	Locator	ACE	ACE-882
13034940-001	Power Supply	BENTHAM	605
13034941-001	Power Supply	BENTHAM	705
13512202-001	Spectroradiometer for Photobiolog 15761	BENTHAM	IDR300
13511703-002	Standard Halogen Light Source 15764/2	BENTHAM	CL6
13511704-002	Standard Deuterium Lamp 15472/5	BENTHAM	CL7
-----	Measuring Tape	TAJIMA	5M / 16ft

Tested by : Louis Lee
 Louis Lee

3. Attachment-Photos:

Test sample



Diameter of test sample



High of test sample




Located in the air stream 50 mm from the air outlet of the appliance



TEST REPORT

Structure



UV Lamp(Type:YLZ04-05)

